G. R. S. IX-5]

Previous references.

File No.

191

Serial Nos.

( )

Later references.

GENERAL AND REVENUE SECRETARIAT.

Serial Nos.

Part B for

SUBJECT.

9-97

Kalyani at Kolhapur

W D 88—GPB—50,000—24-7-16

MUZRAI

189

From

To
The Superintending
Engr. W. Circle

Dated 7th Nov.

Despatched

Received

General No. 502
Muzrai F. No. 9-97
Enclosure No. 3

His Docket No 4229
Dt 7th November 1900.

I have the honor to forward herewith the Plan and Estimate relating to the improvements of the buildings around the Kalyani at Melkote, as requested in the above.

Bo
Muz. Secy

forwarded
also to the chief engineer for info with ref to his No. 2259 dt. 23rd May 1900.
B. O.
Asst

1900

FROM The Supdg Engineer
Western Circle

To The Assistant Superintendent
Bangalore

Dated 7-11-00

Despatched

Received

General No. 4229
No.

Enclosure No.

With reference to Government Pro No. 5774-76 / M 1207 Dy 24-10-1900, according Sanction to a further grant of Rs 1401 for draining the Kalyani at Melkote from Local Funds General, has

has the honor request the favour of ——
returning the plan and Estimate for the
work, as the same have not been received
with the above reference —

M. O'Connell

Superintending Engineer
Western Circle



Proceedings of the Government of Mysore.

Read again :-

(1) Government Proceedings No.16951-3/Mis: 420(dated the 24th June 1898, sanctioning a grant-in-aid of Rs.4000/- from Local Funds General for draining the Kalyani at Melkote, Seringa-patam Taluk. (2) Government Proceedings No.9050-60/Mis: 2807 dated the 5th February 1900, sanctioning an extra grant-in-aid of Rupees 1087 from Local Funds General for improving the buildings around the Kalyani referred to.

Read also :- Memo No.429 dated the 19th October 1900, from the Muzroi Superintendent, stating that the Chief Engineer of Mysore has forwarded a revised estimate for carrying out the improvement referred to in the order of the 5th February 1900, and recommending that in consideration of the great public utility of the Kalyani at Melkote, the excess sum of Rs.1401/- required under the said revised estimate be also sanctioned from Local Funds General.

Order thereon No. 5774-6 / Mis 1267 Dated Bangalore, 27 October 1900.

A further grant of Rs.1401/- for the work in question is sanctioned from Local Funds General.

2. Government will not allow any further grant for this work.

or Secretary.

To

The Muzroi Superintendent returning the enclosures.

The Chief Engineer of Mysore.

The Comptroller to the Government of Mysore.

in special consideration
of the great public
utility of the Kalyani.

A Chumbley

In accordance with
precedents on two
occasions, I would like
this very necessary
sanitary work the
estimate sum of 1401
now required may
be sanctioned from
Local Funds General

Undr
Wdrawn 3 X 00

The amt will
also be met from
L F Genl — No further
exp will be
allowed —

AM
19/10/1900

In sec'y
Proc 1421. Genl Dept
4549/a 25.X.00. Yours of 19/10 AM

Transferred to Secretary
Govt of India
A Chumbley
9.20.a.m 19-10-00

O.M. No. 429
Enc. 4.

Memo.

Improvement of the
Kalyáni at Melkote.

Under circumstances explained in my memo dated 13th June 1898, the Government, in Proceedings No. 1488-90 / Mus 79-97 dated 15th June 1898, were pleased to sanction an Estimate for Rs 6590- for removing the silt at the bed of the Kalyani and restoring it to a state of purity, and directed the cost being met as follows:—

Rs 2590-0-0 from the Savings at the credit of the temple

4000-0-0 by a grant-in-aid from Local Funds General.

Rs 6590-0-0

The Chief Engineer had the foregoing work carried out in the P.W. department at a cost of Rs 5565; and he then recommended the further

R? 4.8m
5.IX 00

improvement of the Kalyani
at an estimated cost of
Rs 2112-0-0; and this was
sanctioned in Proceedings
No. 9058-60 / Mis 2887 dated 5th February 1900,
the charge being met as follows:—

Rs 1025- Savings effected out of the
original allotment of Rs 6590-
for the removal of the silt &c,
and Rs 1087- by a Grant-in-aid from
L. Funds General.

Rs 2112-

With reference to this second
work, the Chief Engineer
has now forwarded a revised
Estimate amounting to
Rs 3573-0-0 and requests
allotment of funds to the
extent of Rs 1401- required
in addition to the amount of Rs 2112-
already sanctioned therefor
in Proceedings No. 841-3 / Mis 79-97 dated
30th January 1900-

I beg to recommend
that this excess be assigned
from the Local Funds General



Gen. 31.]



From Executive Engineer
[illegible]

No. 2049

To The Superintending Engineer
Western Circle
Bangalore

Dated 12
Despatched 13 May 1900
Received

General No. 193
No.

Enclosure No. 1 Estimate
1 Plan
1 No 25 Da No 190
3

His no 682 of the 15th February ps. regarding improving the Buildings around the Kalyani at Melkote, Srirangapatana Taluk.

—"—

Has the honor to report that the Muzrai Secretary inspected the buildings on the 13th and 14th March ps and suggested certain alterations, as reported in no II Sub Divisional officers no 190 of the 23rd March 1900 (received on 14th April ps) in which full particulars have been given. An Estimate & Plan, amounting to Rs 2194/- with the modifications as

Forwarded to the Executive Engineer Kolyane for favor of obtaining sanction of Govt. in the Muzrai Department to the Revised Estimate submitted by the Executive Engineer.

I. Provision has now been made in this Office for the usual establishment charges - The Amount of Revised Estimate stands now at Rs. 3573 and the excess requiring sanction is Rs. 1401/-

W. H. W. Sulivan
Superintending Engineer
Western Circle

Bangalore
19th May/00

Enclos:
1 Plan.
1 Estimate
1 Copy of No 190 of 23/3/00
3

Muzrai Secy's Office
Regd no 829.
No. 2259 of 23/5/00

Forwarded to the Muzrai Secretary to Govt: of Mysore for favor of early sanction in that department, and for grant of additional appropriation to cover the excess outlay provided for.

John Pamsbeck Colonel,
3. Chief Engineer

as desired by the Inspector Secretary are herewith submitted for favor of early sanction.

2. The Sub Ol officers report is attached.

Harry Lindsay

Executive Engineer,
French Rocks Division.

WS

Memo.

Improvement
of the Kalyani
at Mettkole.

Under circumstances
explained in my memo
dated 13th June 1898, the
Govt in Pro No 1488-90 Mur. 7. 9. 91
dated 15th June 1898,
were pleased to sanction
an estimate for Rs 6590-
for removing the silt
at the bed of the Kalyani
and restoring it to a
state of purity and
directed the cost being
met as follows:—

Rs 2590-... from the Savings at the
credit of the Temple.
Rs 4000-... by a grant-in-aid
from Local Funds General.
Rs 6590-...

The

The Chief Engineer had the foregoing work carried out in the P.W. Deptt at a cost of Rs 5565, and he then recommended the further improvement of the Kalyani at an estimated cost of Rs 2112-0-0; and this was sanctioned in Proceedings no 9050-60 / Mis: 2887 dated 5th February 1900, the charge being met as follows:—

Rs 1025- Savings effected out of the original allotment of Rs 6590 for the removal of silt &c

" Rs 1087 by a grant-in-aid from the Local Funds General.

Rs 2112.

With reference to this second work, the Chief Engineer has now forwarded a revised estimate amounting to Rs 3573-0-0 and requests allotment of funds to the extent of Rs 1401 required in

addition to the amount of Rs 2112 already sanctioned therefor in Pro no 841-3 dated 27th Inst 30th January 1900.

I beg to recommend that this excess be assigned from the Local Funds General in Special Consideration of the great public utility of the Kalyani.

(Sd) A. Srinivasachariar

The excess will also be met from Local Funds General. No further excess will be allowed.

(Initd) J.R.T.
19.10.1900.

In accordance with precedents on two occasions and to complete this very necessary Sanitary work the extra sum of Rs 1401 now required may be sanctioned from Local Funds General

Initd P.N.K.
3.10.00

Do Secretary to Govt. Genl Deptt for issue of orders

Initd J.R.T. 19.10.00

Do Dewan.

Transferred to the Secy Revs Genl Deptt.
D.M. no 429 (Sd) A. Srinivasachariar
19.10.1900.

MUZRAI

~~189~~ 1900.

From The Executive Engr
French Rocks Dn

To The Superintg Engr
Western circle.

Dated 12
Despatched 13th may 1900.
Received
General No. 193
Muzrai F. No.
Enclosure No. 1 Estimate
1 Plan
1 Copy of no 190.
3

No 2049 dy 19. 5. 00

Forwarded to the Chf Engr of Mysore for favor of obtaining sanction of Govt in the Muzrai Dept to the revised estimate submitted by the Executive Engineer
II. Provision has now been made by this office for the usual Establishment charges. The amount of Revised estimate stands now at Rs 3513 and the excess requiring sanction is Rs 1401.

(sd) W H McHutchin
Supdt of Engr
West. cir.

No 2259 dy 23 5 00
Encls 1 Plan, 1 Estimate & 1 copy of no 190 dy 23.3.00

Forwarded to the Muzrai Secretary to the Govt of Mysore for favor of early sanction in that Dept and for grant of additional appropriation to cover the excess outlay provided for.

(sd) D McNeil Campbell
Col
Chf Engr of Mysore

RECEIVED
Date 29
REG. No 829
MUZRAI BRANCH

No 682 of the 15th February 1900 regarding improving the buildings around the Kaly ani at Melkote, Seringapatam Taluk.

I have the honor to report that the Muzrai Secretary inspected the buildings on the 13th and 14th March 1900 and suggested certain alterations, as reported in no II Sub Divisional Officer's no 190 of the 23rd

March 1900 (received on 16th April 1900) in which full particulars have been given, the estimate and plan amounting to Rs 3194 with the modifications as desired by the Mukhtar Secretary are herewith submitted for favor of early sanction

2 x x x

Ld A.G. Mallon
Ex: Engr
Dy: Rocks
Sub Dn

Proceedings of the Government of Mysore.

Read:-

Raw report from [illegible] No.150.3-4/ [illegible] dated [illegible] for 1-0, [illegible] permit-in-ic [illegible] Rs.1,000/- [illegible] [illegible] [illegible]

D 21-1-1900

Bangalore

31st. January 1900.

My dear Seemunpoa Iyer,

I send herewith the file of papers relating to the repairs of the Kalyáni at Melkote. Please issue in the General department an order for the grant of Rs 1087- from Local Funds to General to meet the cost of the further

improvements to the Kalyani
as per supplemental Estimate
received from the Chief Engineer
and sanctioned by Mr.
Thumboo Chettiar (vide
order recorded on Chief
Engineer's Communication)

for Engineer
& Secretary

Read:— Govt. Ro: No. 1488-90 / Mur 79-97 dated 15th June 1898 Sanctioning an Estimate amounting to Rs 6590 for draining the Kalyani at Melkote, Seerangapatam Taluk.

And:— Memo no 114 dated 8th January 1900 from the Chief Engineer of Mysore forwarding for orders of Govt. in the Mugrai depart. an Estimate amounting to Rs 2112- to improve the buildings around the Kalyani, the draining of which has been Completed at a cost of Rs 5565-

thereby effecting a
saving of Rs 1025-0-0 out
of the amount sanct.d
in the foregoing
Order of Govt

Order thereon.

No 841-3
Dated 7-9-97
Eng-2
dt 7,30 "Jan 1900.

The Estimate
amounting to Rs 2112-
for effecting further
improvements to the
Kalyani is sanctioned
and ref.d to the Chief
Engr with a request
to have the work carried
out as early as
practicable, the
charge being met
as follows:—

Rs 1025- out of the savings effected in the allotment of Rs 6590- sanct.d ~~for the Kadapah~~ in the Govt. order read above.

Rs 1087- by a grant-in-aid from the L. Funds Jeneral.

2. Separate orders sanct.g the above grant- ~~in aid~~ from the L Funds Jen.l will be issued by Govt. in the Jen.l Depart.t.

Inits: Secy

To Mech: Engr. & T.S. Enclos.
" Compt.r Mysore Govt.
" D.C.r Mysore for info

Sub No 72 5 Jan 1900 Mysore W. Dept.

RECEIVING ENGINEER Reg'd No 5783 27 Dec 1899 STORE OFFICE

From

To The Superintending Engineer, Western Circle.

Dated Camp Srivasanmdram 23-11-99

Despatched 24 December 1899

Received

General No. 531
No

Enclosure No. 1

The Kalyani at Melkota

Advertising to his No. 1 cover in the Chief Engineer's D.O. dated 20-9-99 calling for a separate estimate for improving the buildings around the Kalyani at Melkota, out of the savings effected under the estimate for draining the Kalyani, I have the honour to submit an estimate amounting to Rs 2112/- for early sanction.

51

As per the Chief Engineer's D.O. No. 1 dated 20-9-99 I have prepared an estimate for the improvements proposed to the buildings around the Kalyani at Melkote for the sum of Rupees 2112/-

The revised estimate of Rs 6590 for draining the Kalyani at Melkote mentioned in para 2 of the D.O. has been closed with a saving of Rs 1025- It is proposed to utilize the savings towards the improvements now proposed.

M. J. W. Sutherland
Superintending Engineer
Western Circle

Bangalore 5th January 1900.

OFFICE OF THE DEWAN OF MYSORE RECEIVED Date 9-1-1900 REG No 466 R. & AI BRANCH

Enclos 9 Circle No 1 to 9

Forwarded to the Secretary to Govt, Muzrai Dept, for favor of orders of Govt in that Department.

Colonel,
Engineer

Referred 9-1-1900

of the buildings are all leaky and floor is all gone, but it would be very costly ± lining them ± thorough order. What is now proposed is only to touch up here and there, and improve the general appearance of the pond. ——

Respectfully
Yr. Obt. Servt
French Peaks Co

This being a continuation of the same work, the fee will be charged and the same reported obliges. The balance will be given as an Extra Fund in our fee Fund

Nov 1900

Please see order accepting at Rose per letter to the Secretary 31-1-1900

Approved
1/2/00

Orders will open all other fee Fund

Proceedings of the Government of Mysore.

RECEIVED 24 6 98 947

Read:- Memo dated the 18th June 1898 from the Mangalore Superintendent, applying for a grant-in-aid from Local Funds General for draining the Kalyani at Melkote, Seringapatam Taluk.

As 26-6-98

Order thereon No. 16931-3 / 4209

Dated Bangalore the 24 June 1898.

The Government are pleased to sanction a grant-in-aid of Rupees 4000/- (Four thousand only) from Local Funds General for the work referred to, which is of general public utility.

for Secretary

Compd 8/9

To.

The Chief Engineer in Mysore

The Comptroller to the Government of Mysore

The Superintendent returning the File

4 20/1879

Bangalore
17th June 1878.

My dear Mr Srinivasa Iyer

With reference to the
recorded by the
on the accompanying
about the draining
Kalyani at Melkote,
I send herewith the
entire file of papers

for issue of orders from
the General
regarding the grant of Rs 4000
for the work from the
Local Funds General.

Read the following:-

(15)

Govt Pro: No 573-5 dy 20th November 1897, Sanctioning an estimate for ~~Rs~~ 1353/- for draining the "Kalyani at Melkote Sri-rangapatana Taluk.

Govt Pro: No 900-2 dy 21st January 1898 Sanctioning a further Sum of Rs 135/- on account of the Establishment Charges for the Supervision of the work.

And, Letter No 2937 dated 26th May 1898, from the Chief Engineer of Mysore, reporting that the estimate Sanctioned in the Government order

of 20th November 1897 was only prepared roughly with a view to start work and to find out the state of the Kalyani, that the water in the Kalyani has been pumped out at a cost of Rs 938/- and that on calculating on regular data, the cost of the removal of the silt at the bed of the tank and other works, the entire cost of restoring the Kalyani to a state of purity will amount to Rs 6590/-, and accordingly forwarding for orders of Govt in the Imarai department a revised estimate for the whole work amounting to Rs 6590/-.

Order thereon.

No. 1488-90 Encd Mur 79.97

D/ 15th June 1898.

Under the circs reported in the last of the papers read above, the revised estimate for Rs 6590/- is sanctioned and forwarded to the Chief Engineer, with a request to have the work duly carried out as early as practicable, the charge being met as follows:—

Rs 2590-0-0, from the Savings available at the credit of the Sri Narayanaswami temple at Melkote.

Rs 4000-0-0, by a grant-in-aid from the Local Funds Generals.

Total Rs 6590-0-0.

As regards the latter amount, separate

orders will be issued ~~on~~
by Govt in the General
Department.

2. The first estimate
for Rs 1353/- sanctioned
by
in Govt Pro: No 543 – 5
Dated 20th November 1897,
read above is hereby
cancelled.

Yours truly,

Mur: Secy.

To
The Chief Engineer,
returning enclosures.
" Comptroller to the
Govt of Mysore.
" Dy Commissioner
" Mysore District,
for information.

Memo.

In April 1896, the late Mr. J. Inman, Executive Engineer of French Rocks reported that the Kalyani at Melkote was in an abominably filthy condition. The state of the Kalyani was thus described :—

> This most-sacred Honda has become a very stink pot of thick reeking filth, the effluvium of which is unpleasantly perceptible at a very considerable distance and pervades the whole town more or less according to the direction of the wind. The tank when inspected by the undersigned

and Mr. Swaminarayana Rao
on the 24th January was covered
at the north end with cakes
of green filth to pass which was
impossible excepting with
closed mouth and nostrils. x

x x x x.

This deplorable state of affairs
should shew clearly the cause
of the frequent outbreak of
epidemic disease at Melkota,
a place which from its situation
could be easily made the sweetest
and cleanest town in the whole
of the Mysore Province."

2. Mr. Inman therefore
proposed that the Kalyani should be

thoroughly drained and the deep accumulation of silt or filth at the bottom cleared out. An estimate for Rs 1488 was accordingly prepared by him and submitted to the Chief Engineer who passed on the same to this Office for sanction of Government in the Muzrai department. As the work was considered urgent the estimate [illegible] was sanctioned, the charge being directed to be met from the savings of the Sri Narayana-Swami Temple.

3. The present Executive Engineer Mr. D. Sitharama Rao reports that the above Estimate was only

prepared roughly with a view to start work and to find out the real state of the Kalyani; that the water of the tank has since been pumped out at a cost of Rs 938 and that on calculating on regular data, the cost of the removal of the silt at the bed of the tank and other works, the entire cost of restoring the Kalyani to a state of purity will come up to Rs 6590, as per revised estimate since prepared. The Chief Engineer has passed on the revised Estimate to this Office for orders of Government in the Muzrai department. His letter on the subject and its enclosures are herewith submitted.

The temple has not sufficient savings to meet the amount of the revised estimate. As the work however is one of general importance in a Sanitary point of view, I beg to recommend that the additional outlay now required Viz, Rs 5702 may be granted from Local Funds General

18/6/98

(P I C)

The Surgeon Dept
may accept the
revised Estt. and
ask D.P.W. to carry
out the work as per
such revised Estt.

The Surgeon Dept
will be given a
grant-in-aid for
d. f? fem!, for
the work of general
public utility.

Rs. 4,000

13.6.95

Genl Dept
to issue
orders

Drafted
HW
24/6/95

(14)

MYSORE P. W. DEPARTMENT,

CENTRAL OFFICE,

No. 2937. Bangalore, 26th May 1898.

From The Chief Engineer of Mysore.

To The Secretary to the Government of Mysore Muzrai Department.

SIR,

With reference to the Correspondence ending with Pro: no: 900-902 dated 21st January 1898, regarding draining the "Kalliyani" attached to the Sree-narayanaswamy temple at Melkote, I have the honor to forward the accompanying Revised estimate amounting to Rupees 6,590/- for the above work for the Consideration and early orders of Government in the Muzrai Department.

II. The Comparative Statement which Shows the necessity for the increased provision made for the Several Subheads in the revised estimate, also the Executive Engineer's

s-tering

'overing docket and no: II Sub Division Officer's Explanatory Report no: 257 dated 11th May 1898, are herewith forwarded for perusal and — obligingly return.

III. This Revised Estimate is more than four times the amount of the Original estimate of Rupees 1,488/- Sanctioned in Novem- ber 1894, which was prepared by the late — Mr: Inman, then Executive Engineer of French Rocks Division. In the Sub. Division Officer's Report referred to above, it is now stated that the Original Estimate was only "prepared roughly with a view to Start Work and to find out the State of the Kallingai" This fact Should have — been prominently noted When Sending in that estimate, its omission has misled this Office and the Government into believing that

that the work would be carried out for the sum of Rupees 1483/—

I have the honor to be
Sir
Your most obedient Servant

J. W. Fitzmaurice Colonel

Enclosures.
1. Revised Estimate
1 Comparative Statement
1 Tracing
1. No: II Sub-Divisional Officer's No: 257 of 11-5-98.
1. Executive Engineer's No: 204 of 16-5-98.
5/ Original Estimates
2 Tracings.
8


27.5.98
MUZEALTEEL

14
C

189 8

From Executive Engineer
The Secretary to the
Government of Mysore
French Rocks Division

To The Superintending Engineer
Western Circle
Mysore

Dated 16th May
Despatched 16 1898
Received

General No. 204
Muz. F. No.

Enclosures No. 5

Has the honor to submit a Revised Estimate with report and Comparative Statement prepared by Supervisor No. II Sub Division for draining the Kalyani at Melkote in Seerangapatam Taluk for favor of early Sanction.

2. An Estimate for Rs 1488- was Sanctioned in Chief Engineer's No. 364 dated 19th January 1898 and work is proceeding on this Estimate. Up to date, a payment of Rs 1234 has been made for pumping Water Rs 938

No. 1603.

Forwarded in original to Chief Engineer for orders. Being debitable to Muzrai funds the sanction of Muzrai Secretary will be required. The undersigned has never seen the place; but it would appear that the work was originally much under-estimated for. The rate for the removal of silt is very high, but Executive Engineer promises to thoroughly investigate this item.

Sd. W. McHutchin
Supdt Engr. Wn. Circle
Mysore
23/5/1898

for removing silt Rs 205, and other works Rs 91.

3. The original estimate appears to have been prepared very roughly and even the dimensions noted on the original plan are incorrect.

4. After the water is pumped out at a cost of Rs 938 it is now found that there is more silt to be removed than was originally estimated for, and the rate provided in the original estimate for such class of work was absurdly too low. The Supervisor now calculates on regular data and work turned out under his personal supervision that the removal of each cubic yard of silt will cost as much as 0-10-6. The rate is allowed to remain in the estimate and the same would only be passed after a thorough investigation of the data by the Executive Engineer.

5. Early orders are necessary as to whether the Mugrai department can provide funds to proceed with the work or stop it as already the sanctioned grant has been very nearly spent. The Supervisor No. II Sub division is ordered to work up to the sanctioned amount and await for orders before incurring any more expenditure.

Sd/ D. Venkatarama Rao
Executive Engineer
French Rocks

"Copy"

14/5

French Rocks Division.
No. II. Sub Division.

From,

The Supervisor
No. II Sub Division.

To,

The Executive Engineer
French Rocks Division.

Dated Melkoté 11th May 1898.

Enclosures 3.

General No. 257.

Sir,

Your No. 108 dated 10th March 98 ordering the revised estimate for draining the Kalzani at Melkoté.

With reference to the above, I beg to submit herewith the revised estimate and comparative statements, and to state that the original sanctioned estimate

I fix Rs 1488/- appears to have been prepared roughly with a view to start work and to find out the state of Kalyani, for it may be seen from the enclosed detail estimate that the item baling water costs Rs 1643/- including the haulage of Engine ~~&~~ against the sanctioned Lumpsum of ~~Rs~~ 300/-. To bale out 21 feet ~~of~~ depth of water (or in other words 100 22 20 cubic feet of water) at a place like Melkoté, Rs 300 is by far too low.

The chief cause of excess on this sub. head is owing to bring up the Engine and pump and working it with great cost as detailed in the body of the estimate, of which the cost of the firewood is the highest item and which had to be procured with greatest difficulty under trying circumstances.

2. The next item is clearing silt from the bed. In the original estimate a rate of annas two is provided for carrying the water silt stuff from the

bed with a lift of 30 feet and an average lead of 400 feet. For the last nearly three weeks ~~works~~ departmental agency has been employed and silt cleared out which on an average costs Rs 0-10-6 per cubic yard*, as has been experimented and tried till now.

When all the water is pumped out and the silt dries up for about 15 or 20 days, it may then be removed in baskets with slightly lesser rates, if possible.

3. There is a proper cut stone sluice built for this Kalyani which is all silted up and now out of working order. It is all important to repair this sluice and keep it in working order to prevent baling water on a future occasion when the Kalyani may require cleaning. Therefore a lumpsum of Rs 200/- has been provided for this item of work.

4. A portion of the cut stone revetment for a length of 22 feet had to be dismantled to make platform for the Engine to stand on and a

* as may be seen from the detailed measurements sent up with the ten daily reports accompanying the Imprest cash sheets. To clear all the silt and remove it beyond the Mantapas, it will cost not less than 0-10-6 per cu.yd.

channel cut from the Kalyani to the river, to lead off the water pumped out. After the work is completed, the revetment is to be built back again to match with the old work and the channel area filled in and levelled. Provision has been made in the enclosed estimate for all this work as also for putting in plugs to the existing sluice.

5. The amount of the original estimate has already been worked out and now exceeded by about Rs 315/- up to date. If the work is now stopped, Kalyani may get filled again with water and present silt being cleared. Therefore I beg to solicit that early orders may be obtained to clear the remaining silt and to complete the work before heavy rains set in.

The revised estimate could not be submitted till now as there was plenty of water and the depth of the silt could not be correctly estimated for; as also the rate at which the silt clearing could be done, could not be ascertained till the water is

French Rocks Division.

pumped out and the portion of the silt removed.

Napamaipala. 12-5-98.

I beg &c.

Sd/. C.S. Narrain Rao.
Supervisor No. II SDn

Copy

Sd/. D. Sitaramaiah
Executive Engineer
15.5.98. French Rocks Division

Copy

M

French Rocks Division

No 16

Abstract of Estimate for draining the Kalyani at Mailkote in the Seringapatam Taluk.

Particulars,	Per.	Rate. Rs.	A.	P.	Quantity.	Cost. Rs.	A.	P.
Dismantling stone steps of the Kalyani and building a platform with new stone work for the Engine to stand on &c	Cft	1	"	"	65	65	"	"
Dismantling old stone work	do	"	4	"	9/3	2	"	"
Cutting earth (ordinary soil)	do	"	2	9	257	44	"	"
Puddling	do	"	4	"	16	4	"	"
Wiping	do	"	8	"	8	4	"	"
Refilling with earth including consolidation &c	do	"	2	"	257	32	"	"
Dismantling and removing the Platforms	do	"	8	"	74	37	"	"
Resetting the dismantled steps of the Kalyani	Cft	"	16		349	33	"	"
Silt clearing	Cyd	"	106		5984	3927	"	"
Pumping out water	Lumpsum Rs					1643	"	"
Scanning the existing drain	—	do			—	200	"	"
Total Rupees						5991	"	"
Establishment charges @ 10 % Rupees						599	"	"
Grand Total Rupees						6590	"	"

(Sd) C. S. Narrain Rao
Supervisor 1st Class
Nagamangala

(Sd) D. Sitaram Rao
Executive Engineer
French Rocks Division

French Rocks
27. 15th May 98

"Copy"

Sanctioned for Rs. in Govt. Pros.

No. dated

C. Narrain Rao

Mysore Secretary.

Read:-

Govt Pro. No 543-5
dated 20th Novr 1897,
Sanctioning an estimate
amounting to Rs 1353
for draining the "Kalliani
attached to the Sri
Narayanaswami temple
at Melkote, Srirangapatam Taluk.

And,

Communication No
365 dated 19th January
1898, from the Chief
Engineer of Mysore,
intimating that the
amount of the estimate
sanctioned in the above
has been increased by
Rs 135 on account of

establishment charges
for supervision of
the work.

— " —

Order thereon

No 900-902
8/21/98

The additional charge of Rs 135 referred to in the Chief Engineer's ~~Communication~~ letter read above will also be debited to the Savings available at the credit of the Sri Narayana Swami temple at Melkote.

Murrai Secy.

To
The Comptr to Govt
& D. E. Mysore
" Chief Engr &
Mysore for info:

1897—8

MYSORE P W. DEPARTMENT.

20.1.98.
55/

(12)

No ,

From

The Chief Engineer of Mysore,
Bangalore.

To

The Executive Engineer
French Rocks Division

Dated Bangalore 19 January 1898.

Despatched

Enclosure No.

SUBJECT

With reference to his no 14 dated 15 instant, returns herewith the estimate and plan for draining the "Kalliani" at Melkote in Seringapatam Taluk, duly sanctioned for Rs 1,488. The estimate has been increased by Rs 135 being usual establishment charges at

Submd
Not known directly in the original Estimate.
Chief

To the same no 900-902 d/21-1-98

at 10 per cent. on account of Supervision.

(Sd) J J Whiteley

Assistant Chief Engineer
of Mypore P. W. D.

No. 365

Dt Bangalore 1st January 1898.

Copy forwarded to Munzrai Secretary to the Government of Mypore, for information with reference to Government Proceedings No 543-5 dated 20th November 1897.

J J Whiteley

Assistant Chief Engineer
of Mypore P. W. Dept.

(11)

Read:-

Letter No 1694 dated 17th April 1896 from the Chief Engineer of Mysore, forwarding for sanction of Government an estimate amounting to Rs 1353 for draining the "Kalliani" attached to the Sri Narayanaswami temple at Melkote, Srirangapatam Taluk.

~~Order thereon~~

The estimate for Rs 1353 is sanctioned, the charge being

No 543-5, dated 20 "Nov: '97
En 2 and 2.

debited to the
Savings available
at the credit of the
temple as per
Treasury Officer's
certificate dated 12th
Oct: 1897.

Murrai Secretary.

To.

The Chf Engr with
the Same to Estimate,
report & plan.
The Comptr with a
Copy of the abstract
Estimate and
Treasury Officer's
certificate.
The D.C. Inspone.
for information

(9)

1897 32

From The Deputy Comr
Treasury Depart
Mysore Dist

To The Asstt Secy
Bangalore

Dated 12th November 97

Despatched

Received

General No. 171
No.

Enclosure No. 1

His telegram Dated 6th November 97 requesting the Treasury officer's certificate as to the Savings available at credit of Melkote Narayanaswamy Temple.

—u—

Vide Sra 543-52/20/11/97 Has the honor to forward.

forward the certificate as requested in the above

[illegible] Aug 6 1920

For Deputy Comr
Treasury Depart
Alley Sore Dist.

Certified that the balance at the credit of Narayanaswamy Temple at Tirukkalikundram on 1st October 1897 is Rs 13540-0-6 which is included in the balance under Receipts of Temples viz Rs 59683-13-10.

[illegible]

17th October 97

Treasury Officer
Chingleput District

(8)

Wired

MUZRAI.

1897. Deferred

From

The Secretary to the
Government of Mysore.

To

The Deputy Commissioner
Mysore

Dated 6th November

Despatched

Received 6th Nov.

General No.

Muzrai F. No.

Enclosure No.

1 2 3
Please send immediately
4 5 6
Treasury Officer's certificate
7 8 9 10
for ~~July~~ savings ~~of~~
11 12
Ramalinga Chetty Melkote Narasimhaswami
13 14 15
temple ~~now available~~.

By order

Muzrai Secretary

(7)

1897-98. 271

MYSORE P. W. DEPARTMENT

From

The Chief Engineer of Mysore,
Bangalore

To The Secretary to Government
Bungrae Department.

Dated Bangalore 29th October 1897.

Despatched

No. 5396

Enclosure No

SUBJECT

With reference to Govt No 643 of the 24th November 1896, stating that the proposal for draining the Kalyani at Dodtank, will be disposed of on receipt of a reply from the Deputy Commissioner, Bangalore District, regarding funds available to meet the cost of the proposal in question, I have the honor to enquire how the matter now stands.

To the Dasna No 543-5 dt 30/11/97

2. The Engineer Report in the

French Creek Division for this Survey will have to be sent south to the States, unless we can get the work done soon.

Yours truly,

Chief Engineer

(6)

MUZRAI.

1896

From

The Secretary to the
Government of Mysore.

To The Chief Engineer of Mysore

Dated 23rd
Despatched November

Received

General No. 643
Muz. F. No.

Enclosure No.

Sir,

I am directed to acknowledge receipt of your Letter No 5990 dated 19th Instant regarding the draining of the Kalyani at Melkote and to observe in reply that the project proposed is no doubt a very desirable one

2. On receipt of your first communication on the Subject in April last the

Same No 5396 d/29/10/9

Deputy Commissioner of
Mysore was called upon
to report on the amount
of Savings available at
the credit of the Sri
Narayanaswami Temple
at Melkote to meet the
cost of the Estimate in
question. No reply thereto
having been received yet
an urgent reminder has
been sent to him now; and
on receipt of the Dy:
Commissioner's reply, the
question will be disposed
of in due course.

I have &c

-Tw Draft- Ai

Mysore Secretary

No. 5990 (5)

MYSORE P. W. DEPARTMENT,

CENTRAL OFFICE,

Bangalore, 19th November 1896.

From

Colonel C. Bowen.

~~The~~ Chief Engineer of Mysore, Bangalore.

To

The Secretary to the
Government of Mysore
Revenue department.

SIR,

With reference to this office C. No. 1698 dated 17th April 1896, forwarding project of Rs. 1353 for draining the Halliani at Hailkote, the cost being debitable to the funds of the Temple with which the Honda is connected, I have the honor to enquire what you propose to do in connection with this project. I inspected the place recently, and approve of Mr. Annaji's proposal.

I have the honor to be,
Sir,
Your most obedient servant,

C. Bowen. Colonel.

Chief Engineer of Mysore.

OFFICE OF THE
DEWAN OF MYSORE
BRANCH

MYSORE P. W.ˢ DEPARTMENT.

No. 5930

From

The Chief Engineer of Mysore.

To

The Secretary to the
Government of Mysore
Mysuru Department.

Dated Bangalore, 19th November 1896

Despatched

Enclosure *No.*

SUBJECT,

To the Dewan No. 6439 23/11/96

(4)

Gen. Serial No. 30.]

189

MUZARAI.

From

To The Deputy Comr
Mysore Distt

Dated 4th June

Despatched

Received

Enclosures No. 1

General No. 1191
Muzarai F. No.

Has letter No 1383 of the 28th Ultimo intimating that a sum of Rs 10 591-3-0 was available on the 31st March/36 at the credit of the Sri Narayanaswamy temple at Melkote

---

Has the honor to request to be furnished with the Treasury Officer's certificate for the funds now actually available at the credit of the temple after taking into account all amounts Dis-

Sanctioned therefrom for
and other works in ~~connection~~
connection with the temple.

By order

Jno. Seey

Asst

WHL

Gen. 30.] (3)

870

189 6

MUZRAI.

From D. C Mysore

To The Muzrai Secretary

Dated 28-5-96

Despatched

Received 1/6

Enclosure No.

General No. 1383

~~Muzrai F. No.~~

Stating that a sum of Rs 10591-3-0 was available on the 31st March 1896 at the credit of Sri Narayanaswamy temple at Melkote

1374. 6-96

No. 1383
Enclosures No. —

DEPUTY COMMISSIONER'S OFFICE,
MYSORE DISTRICT,
Dated Camp Hedayal, 28th May 1896.

From

The Deputy Commissioner
of the Mysore District.

To

The Secretary to the Government of Mysore
Muzrai Department

SIR,

In reply to your docket No: 1102 dated the 21st April 1896, I beg to state that a sum of Rs. 10591-3-0 was available on the 31st March 1896 at the credit of Sri Narayanaswamy temple at Melkote in the Seringapatam taluk as per accounts kept in this office.

I have the honor to be
Sir
Your most obedient Servant

Deputy Commissioner
of the Mysore District

(2)

Con. 30.]

1896

MUZRAI.

From

To The Deputy Comr.,
Mysore Distt.

Dated 21 April

Despatched

Received

Enclosure No. 1

General No. 1102

Muzrai F. No.

Has the honor to forward herewith copy of letter no 1648 dd the 17th Instt from the Chief Engineer of Mysore forwarding ~~plan~~ for sanction of Govt a plan and estimate for draining the Kalliani at Melkote and to request to be informed what amount of funds is now available at the credit of the Sri Narayanaswamy temple at Melkote, Seringapatam Taluk.

By order

Muz: Seer

C.J.

3 27 28/4/96 Mk

1896 (788)

MYSORE P. W DEPARTMENT

No. 1697

From

The Chief Engineer
~~Superintending Engineer~~
of Mysore.

To The Secretary
to the Government of Mysore
Revenue Department

Dated Bangalore 17th April 1896

Despatched

Enclosures No, 1 Plan
1 Estimate
1 Report

Subject.

Forwarding the Estimate with Plan for draining the Dhalliane at Melkote received from the Executive Engineer Seringapatam Division, and requesting to submit the Estimate for the consideration and orders of Government

17-4-96

Estimate
Checked
BK.
18/4/96

To D.C. Mysore No 1102 dt 21/4/96
From Ch: Engineer No 5990 dt 15/4/96

(1)

No. 1675

MYSORE P. W. DEPARTMENT,
CENTRAL OFFICE,
Bangalore 17th March 1880.

From

The ~~Superintending~~ Chief Engineer of Mysore.

To The Secretary to the Government of Mysore
Inam and Revenue Department.

SIR,

I have the honor to forward the enclosed Estimate with Plan, amounting to Rs 1,353 for draining the Kalliani at Melkote Seringapatam Taluk, received from the Executive Engineer, French Rocks Division. As the cost appears to be debitable to the Funds of the Temple, with which the Funds is connected, I request that you will be good enough to submit the Estimate for the consideration and orders of Government.

I have the honor to be,
Sir,
Your most obedient Servant,

C. Chevalier. Colonel.

~~Superintending~~ Chief Engineer of Mysore.

jmf

French Rocks Division—

(10)

Estimate of the probable cost of pumping out and clearing the Kalliani at Melkote.

References.

Executive Engineer's Inspections of 25th January and 31st Ultimo.

— Report —

The Kalliani at Melkote is stated to be a tank of great sanctity among all castes of the Hindus and especially so with the higher caste Brahmins. The tank being lined on all four sides with cut stone steps exhibits as a sample of ancient Hindu masonry; a work of great Geometric exactness and beauty. The temples and Chattrams which surround the Kalliani are also striking examples of ancient Hindu Workmanship.

2. The Chattrams are for the use of the people who daily resort to the tank in large numbers for worship, bathing, washing

foul linen and what not, as a natural consequence such indiscriminate use of the water for probably several centuries has caused this most "sacred" Honda to become a very stink pot of thick reeking filth; the effluvium of which is unpleasantly perceptible at a very considerable distance and pervades the whole town more or less according to the direction of the wind. The tank when inspected by the undersigned and Mr. Swaya Narayan Rao, on the 24th January was covered at the north end with cakes of green filth to pass which was impossible excepting with closed mouth and nostrils, and yet in this thick mass of corruption, men and women were positively sousing and dipping tiny children, others were washing (?) dirty clothes and their own worse bodies. This deplorable state of affairs should shew clearly the cause of the frequent outbreak of epidemic disease at Melkote, a place which from its situation could be easily

made the sweetest and cleanest town in the whole of the Mysore Province.

3. With the view of removing the above described abomination, undersigned proposes and herewith estimates for:—

1st To cut down to the water level a grip having sufficient fall to allow the water to flow freely away to the valley below.

2nd To pump the water into the above grip by means of an 8 HP portable engine and centrifugal pump.

3rd To clear out the deep accumulation of silt or filth at the bottom. This is to be carefully washed and sifted in cradles under the eye of a responsible Officer and Police guard with a view to the recovery of coins and valuables — propitiatory offerings to the Gods — large quantities of which are said to lie at the bottom of the tank. These offerings

are stated to be of frequent occurrence and as they have probably extended over several centuries it may reasonably be expected that treasure sufficient in value to more than cover the amount of this estimate may be recovered.

4th. There is evidently a sluice on this tank which will be traced and if possible cleared & re-opened.

4. If sanction to the above be given without delay, the work can be carried out within a month and the tank thoroughly cleaned and kept in readiness for the monsoon. It is believed that the tank has a feeble spring of its own and this should fill the tank to some extent with good pure water.

It is to be hoped that the authorities at Melkote will in future prohibit the fouling of this tank and maintain it as a pure water supply for which purpose it appears to have been originally intended.

(Signed) T. Inman
Ex. Engr.
French Rocks Div.

French Rocks
8th April 1896.

Bangalore
15th June 98.

My dear Seshamma Iyer

I [illegible] the
order recorded by the
Dewan on the accompanying memo
about the draining of
the Kalyani at Melkote.
I send herewith the

entire file of papers
for issue of orders from
the General Department
regarding the grant of
Rs 4000 for the work
from the Local Funds Grant

Yours
G. Turner
A Secretary



1895

From 11195 21-6-95.
M^r A. Srinivasa Charlu
Muzrai-Se^c.

To

The Secretary to the Govt. of Mysore,
Rev. and Gen. Depts

Dated 17th June 1895

Despatched

Received

General No
No.

Enclosure No.

Sending the file of papers re the Damani of the Kalyani at Melkote & requesting to issue orders from the Pol Dept^t regarding the grant of Rs 40 00/ sanctd by the Darkas

References to be marked.

OFFICE OF THE DEWAN O.
R
MILITARY BRANCH

1898 99.

From

The Dy Commissioner
Mysore District

To

The Secretary to the
Govt of Mysore
Revenue Dept.

Dated 19th Oct 98
Despatched 22nd Oct 98
Received
General No. 70
No.

Enclosure No.

With reference
to his docket no 251/9.97
dated 17th August 1898
directing that the silk
removed from the
Kallyanimahal Melkote
should be disposed
of by auction, has
the honor to state
that the Sub Division
Officer of Pandavapura
reports that

To Revenue 571 d/23/11/98

The silt was said to be unserviceable for
agricultural purposes and therefore no
bidders came forward at the auction held
for the disposal of the same, and that as it
lay rotting and exhaling offensive smell
it was ordered to be given away free
of charge, to ensure its early removal
and to avoid a heavy outlay estimated
at Rs 500/ should it be caused to be re-
moved at Government Cost.

K. Mayfield, Dy Commr

For Dy Commissioner
Mysore District

RECEIVED
Date 2/12/98
No. 334
MUZRAI BRANCH

Proceedings of the Government of Mysore

Read again

Government Proceedings No 1693-3 Mis 4209
dated 26th June 1898, sanctioning a grant-
-in aid of Rs 4,000/- from Local Funds Gov-
-ernment for draining the Kalyani at Melkote
in the Seringapatam Taluk

Letter No 462 dated 17th November 1898
from the Deputy Commissioner, Mysore, Soli-
-citing the renewal of the sanction for
Rs 2298 for the above work as noted below.

	Work-Establishment	Total
Amount of Estimate	5991 — 599	— 6590
Expenditure during 1897-98	1547 — 155	— 1702
Balance required during 1898-99	4444 — 444	— 4886
Deduct Muzrai allotment	" — "	— 2590
Balance required from Local Funds General		— 2298

Order thereon No 6900-3 Mis 1549
Dated Bangalore 2nd December 1898.

Government are pleased to
renew the sanction for Rs 2298/- as reported
by

by the Deputy Commissioner in his
letter read above.

[illegible]
for Secretary.

Copied

To

The Deputy Commissioner, Mysore District,
" The Chief Engineer in Mysore
" The Comptroller to the Government of Mysore
" The Mussaie Superintendent, in Mysore

MUZRAI

189

From

THE SECRETARY TO THE
GOVERNMENT OF MYSORE

To

The Executive Engineer
Irrigation Works Division

Dated 25th January 1900

Despatched

Received

General No 779

Muzrai No 9-97

Enclosure No 1

Commissioner's memo
with his docket No 64 dt
21st January 1900 for-
warding for countersigna-
ture a completion certifi-
cate for draining the
Kalyani at Nalkere, Sri-
rangapatna Taluk.

Has the honor to
return herewith, duly
countersigned, the com-
pletion certificate referred
to in the above.

B. C.

Ci

Muzrai Secy

Gen. 31.]

1900.

~~109~~

From

Executive Engineer,

vision

To The Secretary to Govt. of Mysore

Mazrai.

Dated 21-1-00

Despatched

Received

General No. 111

No.

Enclosure No. 1



Returned Counter signed
22/1/1900

With reference to his no: 737
9-97:
of 87/1900 regarding Completion
certificate for draining the ma
kalgani at melkote Seeranga-
patam Taluk, has the honor to
inform that there is a saving
of Rs 1025/- as noted in the ma
margin which will be utilized
for other works proposed to be
carried out under a separate
Estimate closing the Estimate
for

Vide no 799 dt 25/1/00

for Draining the Kalyani at Melkote and to request therefore that he will be so good as to return the enclosed certificate duly Countersigned as the Completion report has already been Submitted to the Examining P. W. Accts Office.

Executive Engineer
Doddaballapur Div.

5991
599
6590 Estimate

Expenditure

4835-2-5
730-2-3 Est:
5565-4-8. Total

Rs 1025/-

From

THE SECRETARY TO THE
GOVERNMENT OF MYSORE.

To

The Executive Engineer
French Rocks Dn.

Dated 8. 1. 1900

Despatched 8th

Received

General No. 737
Muzrai F. No. 9-97

Enclosure No. One

His No. 1035 d/. 26th Decr 1899 forwarding for counter-signature a completion certificate for draining the Kalyani at Melkote, Seringapatam Taluk.

With refce to the above, has the honor to observe that when last the undersigned met the Executive Engineer, at Melkote the latter informed him that the ~~estimate~~ amount sanctioned for draining the Kalyani had not been fully spent on the work, and

that a portion of the
Sanctioned amount had
been saved and that the
Same will be utilized
for certain other works
connected with the improve-
ment of the Kalyani. The
undersigned ~~has~~ is now accordingly
to request to be informed
if the above additional works have
also been duly carried out
and if so, at what cost.
and what is the final
amount saved out of the entire
Sanctioned allotment.
2. The completion certificate
received with the docket
under reply is herewith
returned for report.

B. O.

Exec Engr

Gen. 31.]



From

The Executive Engineer
Kaveri Rocks division

To

The Munzrag Secretary
to the Govt of Mysore

Dated 26th December 1899.

Despatched

Received

General No.

No.

Enclosure No. one.

Has the honor to forward the completion certificate for draining the Halyani at Melkota — Seringapatam Taluq, for his Countersignature and obliging early return.

Executive Engineer
Kaveri Rocks Division

nfs

Allowance of Rs 2 on entire amount of work and has been sent to Executive Engineer for disposal

21/12/99

d/ 8/1/1900

MUZRAI

189

From

To The Executive Engineer
French Rocks Dn

Dated 22 - 11 - 98
Despatched 24
Received
General No. 572
Muzrai F. No. 9-97.
Enclosure *No.*

His letter No 795 dated 12th October 1898 requesting that the Comptroller may be asked to give credit to the P. W. Deptt for the Sum of Rs 2590 sanctioned out of the savings of the Sri Narayanaswami Temple for the drowning of the Kalyani at Melkote.

In reply

In reply has the
honor to state that
the Comptroller will
place the amount Sanctioned for the drainage of the Kalyani
at the disposal of
the P. W. Dept by
book adjustment in
communication with
the Examiner of P. W.
Accounts, ~~reported therefore~~
the Executive Engineer
should address in the
matter of the requisite
funds for the draining
of the Kalyani.

By order

Fair Off.

Assistant Secretary

1898



From The Executive Engineer
French Rocks Division

To The Superintendent
Muzarai department of
Mysore.



Dated 12
Despatched October 1898.
Received
General No.
No.

Enclosure No.

Sir

With reference to Government Proceedings No. 1488-90 Mys. 7-9-97 dated 15th June/98 sanctioning the Revised estimate for Rs 6590/- for draining the Kalyani at Melkote, I have the honor to request that you will be good enough to move the Comptroller of Mysore to afford credit to this department for Rs 2590/- from the Savings available at the credit of the Sree Narrianswamy Temple at Melkote, as decided in

To the Dams no. 572 d/23/11/98

in the above mentioned Proceedings and advise this office.

I have the honor to be
Sir,
Your most obdt. servt

O. V. Morris
Executive Engineer
French Rocks Div

WD

Read:—

Docket no 70 dated 19th October 1898 from the Deputy Commissioner Mysore District reporting that nobody came forward to bid for the purchase of the silt removed from the bed of the Kalyani at Melkote, the silt being unserviceable for agricultural purposes and that therefore he has issued orders for the silt being given away free of charge to the expense of its removal.

No 571
Dated 9.97

23.11.98

Order thereon

Under the

circumstances reported
the Deputy Comr's
action is approved

Mysore Secy

Pl

The Deputy Comr &c
Mysore Distt

No 559 Ent

Muz 79-97

D/22nd Nov 1898

To.

The Executive Engineer
French Rocks.

Sir,

Referring to the draining of the Kalyani at Melkote a work which is now being carried out by your department, I have the honor to forward herewith for your information and for such action as you may consider necessary, a Kanarese Report dated 7th October 1898 received from the Parpattegar and manager of the Sri Narayana Swami Temple in which he states that in the course of the draining of the Kalyani, deep excavations have been made on one side of the Bhuvaneswari Mantap adjoining the

Kalyani and that the
safety of the mantap
has been greatly endangered
thereby and also that the
silt taken out of the
Kalyani has not yet
been removed and that
it is being washed into
the Kalyani by the rains.

I have &c

Asst Engr

AA

Asst: Superintendent

W

MUZRAI

189 8.

From

To The Dy Commr
Mysore District

Dated 6 August

Despatched 8

Received

General No. 2167

Muzrai F. No. 2

Enclosure No.

Has the honor to
forward herewith
for information copy
~~of Docket No. 41 dy 21st~~
~~July 1898 from the Sub~~

Docket No 620 dy 28th July 1898
~~Assistant~~ from the Ex: Engr
of French Rocks reporting
that ~~Gold~~ Articles found
while removing silt
from the Kalyani a

Melkote have been
handed over to the
Parpattegar of the
Sri Narayanaswami
at Melkote.
temple ~~here~~,

By order.

Asst
Revenue Secy

1893

From

Executive Engineer

French Rocks Division



To The Secretary

Mysore Government

Dated 3rd July 1878

Despatched

Received

General No.

No.

Enclosure No. one

Has the honor to forward herewith for information a Copy of No 41 dt 22 Inst received from the Sub Assistant Engineer at Melkote reporting that the things found while removing silt from Kalyani have been handed over to the Parapathagar of the temple.

D. Lawrence

Executive Engineer

French Rocks Division

ws

1898

From
The Sub Asst. Engineer
Melrose.

To
The Executive Engineer
French Rocks &c.

Dated 22
Despatched July 1898
Received
General No. 41
No.

Enclosure No. -

Has the honor to submit for record in the Division office a list of Things mentioned overleaf, which have been handed over for safe custody to Devasthanam Parapathegara on the 22nd Instant.

/sd/ B. K. Bradbeer
Sub Asst Engineer

P.T.O

1898

From

2.7.28
145

To The Secretary
Mysore Department
Mysore.

Dated 28-7-98

Despatched

Received

General No.

No.

Enclosure No. 2

Has the honor to forward herewith for information a copy of No 523 of 24th instant received from the Sub Assistant Engineer reporting that the things found while removing the silt from Kalyani at Melkote, have been handed over to the Temple Purpatter-gar, as per enclosed list.

K. Thimaiah
Offg. Executive Engineer
French Rocks Division.

and to request that immediate arrangement may be made
to dispose of the ~~sold~~ by auction and the
proceeds being credited to
the Sri Narayanaswami
Temple.

By order

A1

no 252 Mun: Legy

9.07 Amt

Copy to the Ex: Engr. French Rocks

Division for info

BO

A1

Mun: Legy

Amt

1898

From The Executive Engineer
French Rocks Division

To The Secretary to Government
Mysore Department
Bangalore

Dated 15th August 98.

Despatched

Received

General No.
No.

Enclosure No.

Draining the Kalyani at Melkote

Has the honor to state that silt-clearing is almost completed.

Silt-cleared from the well is deposited on the slopes of the plat-form far away from the well and Mantapams.

But as it emits a very offensive smell and is liable to be washed into the ruined well in the hollow to the North of the Kalyani well, it is requested that arrangements may kindly be made to auction the silt for which

there

there seems to be great demand from the sugarcane planters of surrounding villages.

It would be better if this is removed and removed before the heavy rains.

N. Krishnaiah
Offg. Executive Engineer
French Rocks Dn

ud

D. C.

K. P. Puttannachetty Esq

Sub Division Officer,

French Rocks.

You may remember my having spoken to you some time ago about the draining of the temple Kalyani at Melkote by the D. P. W. I am informed that the work has been put in hand. The bed of the Kalyani is reported to contain many coins and other valuable properties which

which during the past
several years have been
thrown into it by the
devotees in fulfilment
of their vows.

I now write to request
that you will be good
enough to arrange to
keep a strong Police
guard around the
Kalyani and to see
that none of the valuable
articles found in the
silt misappropriated
or clandestinely removed
by workmen or others.

Please also instruct
the

the Parpattegar of the
temple to prepare a
detailed inventory of
all the articles found
in the Kalyani.

D.O. to C. Madras Esq
Dy Comm.r Mysore

With ref.ce to your
office communication
requesting sanction to
the entertainment of
special Watchmen to
guard the Kalliani at
Melkote, I request to
know how much of the
water of the Kalliani
has been baled out.

Don't you think
it will be quite enough
if the Watchmen are
entertained just
at the time when

the removal of the Hill—
commences? If so,
for what period will
their services be req.d?
in case of resignation

1897-98.

From

The Commissioner
Mysore District

To

The Secretary to the
Govt of Mysore
Muzrai Dept

Dated
Registered
Received
General No. 179
No. XI.

Enclosure No. 1

I have the honor to
forward herewith
for orders docket
No 323 dated 25th Feb-
-ruary 1898 in original
from the Superintendent
of Police French Rocks
with the remarks of
the Sub Division Officer
and of the undersigned.

OFFICE OF THE DEWAN OF MYSORE
RECEIVED
Date
REG. No.
MUZRAI BRANCH

Endorsed thereon, regarding Sanction to
funds required for the employment of
Policemen to watch the Kallyanish
Melkote for a temporary period

P Ananda Murthy
for the Commissioner
Mysore District

5 March 98

August 1898 Regd No 1530 3-3-98

From The Superintendent of French Rocks Sub Div.

To The Sub Division officer French Rocks.

No 1155

Dated 25th February 1898

Despatched 26

Received

General No. 323

No.

Enclosure No.

Submitted to the Dy Commissioner for transmission to the Mwzrii Secretary. Sanction is solicited to the entertainment of 6 Constables, 3 at Rs 7 & 3 at Rs 8 - for two months. These will have to watch the operation of examining the silk & will have to be on duty day & night. The present Staff is hardly sufficient to cope with the routine duties of the station. The Mwzrii Secy has asked that the present staff at Melkote is hardly to meet the ordinary requirements of the station unless this proposal is sent up officially. Hence a special staff consisting of 6 constables is the requisition.

With reference to his Memo No. 1093 dated 6.1.98 forwarding copy of D.O letter dated 4.1.98 from the Secretary Mwzroy Department, and requesting to make Police arrangements for watching the Kalyani at Melkote, has the honour to state that the present staff at Melkote is hardly sufficient to meet the ordinary requirements of the station unless a special staff consisting of 6 constables is the requisition.

Rec'd No 1108 5-3-98

Capt Maddox 28 8.

the Police watch to guard the Kalyani both
night, during the time the silt is taken out
examined, cannot be satisfactorily carried
out.

The undersigned therefore begs that he
will be good enough to move the
and obtain sanction early to the
of the special staff as suggested above, the cost
of which being met out of the Temple Funds.

Superintendent of Police
French Rocks Subdn

To
Mr. D. Stevenson

In re the drainage
of the Kalyan-ah
Mehtah the
revised Estimate
for Rs 6590. prepared
by you has been
duly sanctioned &
I'd & the Ch-Sy?
for execution of
work. I request
you will kindly
arrange & have
the silt at the
bed of the tank
~~Unwooded~~ cleared.
before the monsoon
set in

Yours

Gen. 28]

189 8

From

The Sub asst Surgr
No 4 Sub Division

To

Executive Engineer
French Bank Division.

Dated 24th August/98

Despatched

Received

General No. 528
No.

Enclosure No. 1 list

Draining Kalyani at Mehole.

Has the honour to submit for information and record in the Division office, the list of things found while cleaning silt at Kalyani, which has

has been handed over for safe
custody to Temple Parsathegyan

(Sd) B. N. Wandhekar
Librarian
Nerul Lab.

Copy

N. Nithiananthan
Asst. Executive Engineer
French Rocks Division.

JWK

22-7-98 రచనాంశాలు

కొలంబస్ గురించి వివిధ వ్యాసాలు

మళ్ళీ కలిసినవి —

1. వ్యాసరచనకు ఉపకరణాలు.
1. కంబం చుట్టూ తిరిగి
1. ఉపన్యాస చిహ్నాలు
1. సంభాషణలు.
1. ఛిన్నవాక్యాలు.
2. వచనాత్మక రచనలు. 1 వ్యాసరచన
1. కథలు వ్రాయడం -
1. లాభనిందా కథలు వ్రాయడం -
1. కైత మొదలగు లిఖిత పత్రాలు
1. చూసి వ్రాయుటకై పద్య మాలిక
2. పత్రికలు
1. శ్రీ లక్ష్మీ దయా లాభనిధి
1. లేఖలు రాయడం
1. ఆహ్వాన పత్రికలు
2. ఖండన మండన పత్రికలు
4. ఏ ఉత్తర పత్రం
11. పత్రికలో ఏ ఉత్తరం

43

24-7-98 ರಂದು ಆದೇಶಿಸಲಾಯಿತು.

18 ಸಿಳ್ಳೆಗಳ ದಾಖಲೆ

7 ಮೇಲಾರಂಭಿಸಿದರು

4. ಬಾಯಿಯಲ್ಲಿ ದುಡ್ಡಿನ ನೋಟು

2. ಕಾಲಿನಲ್ಲಿ ಗದೆಯನ್ನು ಹಿಡಿದು

1. ಸಿಳ್ಳೆಗಳ ದಾಖಲೆ

1 ಸಿಳ್ಳೆಗಳು

30 ಸಿಳ್ಳೆಗಳು

1 ದಾಖಲೆಯಾದವು.

1 ದುಡ್ಡಿನ ನೋಟುಗಳು

1 ಕಾಲಿನಲ್ಲಿ ಗದೆ

1 ಬಾಯಿಯಲ್ಲಿ ನೋಟು

1 ಸುಂದರ ಸಿಳ್ಳೆಗಳು

1 ಮಂ. ಸುಂದರಲ

1 ಹಿಂ. ಅಯಿತಳಿಸಿದ

1 ಮಂ. ಪ್ರೇಕ್ಷಕರು

1 ಸಿಳ್ಳೆಗಳ ಸಂಖ್ಯೆ

1 ಮಂ. ವೀಕ್ಷಕರು

1 ಮಂ ಪೀಳಿಗೆಯ

1 ಮಂ. ಸಿಳ್ಳೆ

1 ಮೇಲಾರು ಸಂಖ್ಯೆಯಲ್ಲಿ ಸಿಳ್ಳೆಗಳು

1 ಸಿಳ್ಳೆಗಳ ಸಂಖ್ಯೆ ಹೆಚ್ಚಾಗಿರುವುದು

1 ಸಂಖ್ಯೆಯಲ್ಲಿ ಸಿಳ್ಳೆಗಳು

1 ಸಿಳ್ಳೆಗಳು

1 ಸಿಳ್ಳೆಗಳು

1